

1. Identificatio	: September-2023
1. Identificatio	
Product	on of the substance/preparation and company
Product na	ame
CONSOL ECO	CRETE HF
	supplier information
	cer/supplier : PT.Kimia Konstruksi Indonesia
Street/pos	stbox : Ruko Wadung Asri Permai Blok B 8 Jl. Wadung Asri no. 46-48
Town/Citv	and Post Code : Waru, Sidoarjo, Jawa Timur
Country	: Indonesia
Phone/Fax	: +62318661122/+62318661122
Combinatio selected agre	on 4 parts of polyurethane, colour pigment mixture and other egates
Combinatio selected agre 3.Hazards identi Signal Word : MAJOR HEALTH F	on 4 parts of polyurethane, colour pigment mixture and other egates Afication WARNING HAZARDS RIOUS EYE IRRITATION. CAUSES SKIN IRRITATION. HARMFUL IE
Combinatio selected agre 3.Hazards identi Signal Word : MAJOR HEALTH F CAUSES SEF	on 4 parts of polyurethane, colour pigment mixture and other egates Afication WARNING HAZARDS RIOUS EYE IRRITATION. CAUSES SKIN IRRITATION. HARMFUL IN
Combinatio selected agre 3.Hazards identi Signal Word : MAJOR HEALTH H CAUSES SEH SWALLOWED. PHYSICAL HAZAH Upon dryin	and 4 parts of polyurethane, colour pigment mixture and other egates Afication WARNING HAZARDS RIOUS EYE IRRITATION. CAUSES SKIN IRRITATION. HARMFUL IE
Combinatio selected agre 3.Hazards identi Signal Word : MAJOR HEALTH H CAUSES SEH SWALLOWED. PHYSICAL HAZAH Upon dryin	A parts of polyurethane, colour pigment mixture and other egates Afication WARNING HAZARDS RIOUS EYE IRRITATION. CAUSES SKIN IRRITATION. HARMFUL IE RDS ng forms thin glass that can cut skin. Spilled material may
Combinatio selected agre 3.Hazards identi Signal Word : MAJOR HEALTH H CAUSES SEH SWALLOWED. PHYSICAL HAZAH Upon dryin cause slip PRECAUTIONARY	A parts of polyurethane, colour pigment mixture and other egates Afication WARNING HAZARDS RIOUS EYE IRRITATION. CAUSES SKIN IRRITATION. HARMFUL IE RDS ng forms thin glass that can cut skin. Spilled material may oping hazard. STATEMENTS
Combinatio selected agre 3.Hazards identi Signal Word : MAJOR HEALTH H CAUSES SEN SWALLOWED. PHYSICAL HAZAH Upon dryin cause slip PRECAUTIONARY Wear prote as	A parts of polyurethane, colour pigment mixture and other egates
Combinatio selected agre 3.Hazards identi Signal Word : MAJOR HEALTH H CAUSES SEN SWALLOWED. PHYSICAL HAZAH Upon dryin cause slip PRECAUTIONARY Wear prote as appropriat	A parts of polyurethane, colour pigment mixture and other egates Afication WARNING HAZARDS RIOUS EYE IRRITATION. CAUSES SKIN IRRITATION. HARMFUL IE RDS ng forms thin glass that can cut skin. Spilled material may oping hazard. STATEMENTS
Combinatio selected agre 3.Hazards identi Signal Word : MAJOR HEALTH H CAUSES SEN SWALLOWED. PHYSICAL HAZAN Upon dryin cause slip PRECAUTIONARY Wear prote as appropriat smoke when	A parts of polyurethane, colour pigment mixture and other egates <b>fication</b> WARNING HAZARDS RIOUS EYE IRRITATION. CAUSES SKIN IRRITATION. HARMFUL IF RDS ng forms thin glass that can cut skin. Spilled material may oping hazard. STATEMENTS ective gloves, protective clothing, eye, and face protection we. Wash thoroughly after handling. Do not eat, drink, or



Ruko Wadungasri Permai Blok B no. 08 Jl. Wadungasri 46-48 Rt. 004 Rw. 002 Wadungasri, Waru Kab. Sidoarjo, Jawa Timur 61256



GHS: CONTACT HAZARD - SKIN	Category 2-Causes skin irritation.
GHS: CONTACT HAZARD - EYE	Category 2A-Causes serious eye irritation.
GHS: ACUTE TOXICITY - INHALATION	No data available Not classified
GHS: ACUTE TOXICITY - ORAL TOKSISITAS BERAT - TERTELAN	Category 4 - Harmful if swallowed.
GHS: ACUTE TOXICITY - DERMAL:	Not classified as acutely toxic for dermal exposure
GHS: CARCINOGENICITY:	Not classified as a carcinogen per GHS criteria. This product is not classified as a carcinogen by NTP, IARC, or OSHA.

GHS SIGNAL WORD: WARNING GHS HAZARD STATEMENTS: GHS - Health Hazard Statement(s) Causes serious eye irritation Causes skin irritation Harmful if swallowed GHS - Precautionary Statement(s) - Prevention Wear eye protection/face protection Wear protective gloves Wash thoroughly after handling Do not eat, drink or smoke when using this product GHS - Precautionary Statement(s) - Response IF IN EYES Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF SWALLOWED Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth Specific treatment.





GHS - Precautionary Statement(s) - Storage There are no Precautionary-Storage phrases assigned GHS - Precautionary Statement(s) - Disposal Dispose of contents and container in accordance with applicable local, regional, national, and/or international regulations. Hazards Not Otherwise Classified (HNOC) None identified 4. First-aid measures Eye Contact Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Seek medical attention. Skin Contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Seek medical attention. Inhalation Get medical attention Ingestion Do not induce vomiting unless directed to do so by medical personnel. Maintain an open airway. Seek immediate medical attention Notes of physician No specific treatment. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled 5. Fire and Explosion Data Flammability of the product Not flammable materials Suitable extinguishing media Not readily combustible. Use foam, dry chemical or carbon dioxide Unsuitable extinguishing media for safety reasons Do not use water jet Special protective equipment for fire-fighting Special protective equipment for firefighters, self-contained breathing apparatus Special Hazards of Product Combustion will produce smoke, carbon dioxide and carbon monoxide



Ruko Wadungasri Permai Blok B no. 08 Jl. Wadungasri 46-48 Rt. 004 Rw. 002 Wadungasri, Waru Kab. Sidoarjo, Jawa Timur 61256



### 6. Accidental release measures

Small Spill

Use appropriate tools to put the spilled solid I a convenient waste disposal container. Finish cleaning by vacuum or sweep and place in a designated, labelled waste container.

Large Spill

Use a shovel to put the material into a convenient waste disposal container. Neutralize the residue with a dilute solution of acetic acid. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

Personal precautoins

Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

#### Environmental precautions

Avoid dispersal or spilt material and runoff and contact with soil, waterwasy, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air)

### 7. Handling and storage

#### Handling

Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not breathe dust. Avoid contact with eyes. Wear suitable protective clothing. If you feel unwell, seek medical attention and show the label when possible.

#### Storage

Keep container dry. Keep in a cool place. Ground all equipment containing material. Keep container tightly closed. Keep in a cool, well-ventilated place. Combustible materials should be stored away from extreme heat and away from strong oxidizing agents.

### 8. Exposure Controls/Personal Protection

Engineering Controls

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operation generate dust, fume, or mist, use ventilation to keep exposure to airborne contaminant below the exposure limits.

Personal Protection

Splash goggles lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent.

Personal Protection in Case of a Large Spill Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the





product. Suggested protective clothing might not be sufficient; consult a specialist before handling this product. Hygiene measures Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Environmental exposure controls Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. 9. Physical and chemical properties Appearance Part A Physical state : Liquid Colour : Milky white Odour : Characteristic : Approx. 0,944g/cm<sup>3</sup> Density Part B : Liquid Physical state Colour • Brownish Odour : Characteristic : Approx. 1,24g/cm<sup>3</sup> Density Part C Physical state : Powder Colour : Green, Cream, Ivory, Grey, light green, natural, signal green : Characteristic Odour : Approx. 3.65 g/cm<sup>3</sup> Density Part D Physical state : Sand Colour : Light grey Odour : Characteristic Density : Approx. 2.42 g/cm<sup>3</sup> Mix of Part A+B+C+D Physical state : Paste Colour : Green, Cream, Ivory, Grey, light green, natural, signal green Odour : Characteristic Density : Approx. 2,1g/cm<sup>3</sup> 10. Stability and reactivity Stability

The product is stable

Conditions to avoid No specific data

> KIMIA KONSTRUKSI INDONESIA

Ruko Wadungasri Permai Blok B no. 08 Jl. Wadungasri 46-48 Rt. 004 Rw. 002 Wadungasri, Waru Kab. Sidoarjo, Jawa Timur 61256



Incompatibility with various substances No specific data Hazardous decomposition Under normal conditions of storage and use, hazardous decomposition products should not be produced. 11. Toxicological information Potential acute health effects Inhalation Irritating to respiratory system. May cause irritation. Ingestion Irritating to mouth, throat and stomach. Skin contact Irritating to skin. May cause sensitisation by skin contact. Eye contact Severely irritating to eyes. Risk of serious damage to eyes. Chronic effects Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. 12. Ecological information Mobility The product is insoluble in water Persistence/degradability The product is expected to be not readily biodegradable Ecotoxicity This material is harmful to aquatic organisms 13. Disposal considerations Product. Recommendations See chapter 15, national regulations. Must be disposed of in a special waste disposal unit in accordance with the corresponding regulations Contaminated packaging Recommendations Completely emptied packaging can be given for recycling Packaging that cannot be cleaned should be disposed of as product waste 14. Transport Information ADR/RID Not regulated under ADR/RID



Ruko Wadungasri Permai Blok B no. 08 Jl. Wadungasri 46-48 Rt. 004 Rw. 002 Wadungasri, Waru Kab. Sidoarjo, Jawa Timur 61256 Telp. 031–8661122 Fax. 031–99004958 marketing@kkiconsol.com



IMO/IMDG Not regulated under IMO/IMDG

IATA/ICAO Not regulated under ICAO

### 15. Regulatory information

Danger Symbols (s) Xi Irritant R phrases 36/38 Irritating to eyes and skin

S phrases 2 Keep out of reach of children 24 Avoid contact with skin

37 Wear suitable gloves

National Regulation Classification according to PP No. 74 Th 2001 The product is classified as(harmful) and(Dangerous to environment)substance

## 16. Other information

Notice to reader This is data contained herein are furnished for information only and are believed to be reliable. However, PT. KIMIA KONSTRUKSI INDONESIA doesn't assume responsibility for any result obtained by over those methods are not controlled.

